SUPPLEMENTARY TABLE 1. Descriptive statistics depicting differences between genders regarding their information sources preference on vaccination (Greece, 2020; N: males = 243; females = 440). The medians of the responses in the 7-point Likert scale questions (1: never ... 7: always), along with their interquartile range (IQR) are presented.

Information sources	Gender	Median	IQR	
Press	Male	3	4	
	Female	2	3	
Radio	Male	2	4	
	Female	2	2.25	
Television	Male	3	4	
	Female	2	3	
Electronic Press	Male	4	4	
	Female	3	4	
Health-care workers	Male	6	3	
	Female	6	2	
WHO	Male	5	3.5	
	Female	6	3	

SUPPLEMENTARY TABLE 2. Descriptive statistics depicting differences among age groups of the respondents regarding their information sources preference on vaccination (Greece, 2020; N: 13-30 years old = 217; 31-50 years old = 279; > 51 years old = 187). The medians of the responses in the 7-point Likert scale questions (1: never ... 7: always), along with their interquartile range (IQR) are presented.

Information sources	Age groups	Median	IQR
Press	13-30 years old	2	2
	31-50 years old	2	3
	> 51 years old	3	4
Radio	13-30 years old	2	2
	31-50 years old	2	3
	> 51 years old	3	4
Television	13-30 years old	2	3
	31-50 years old	2	3
	> 51 years old	3	4,5

SUPPLEMENTARY TABLE 3. Descriptive statistics depicting differences between genders regarding their views on the safety of vaccination (Greece, 2020; N: males = 243; females = 440). The medians of the responses in the 7-point Likert scale questions (1: strongly disagree ... 7: strongly agree), along with their interquartile range (IQR) are presented.

Statements	Gender	Median	IQR
Vaccines are rigorously tested before they are approved for use	Male	6	2
	Female	6	1
Vaccines often cause side effects	Male	4	2
	Female	5	2
Many actions to spread certain new vaccines are aimed at financial gain	Male	5	2,5
	Female	5	2

SUPPLEMENTARY TABLE 4. Descriptive statistics depicting differences among age groups of the respondents regarding their views on the importance and safety of vaccination (Greece, 2020; N: 13-30 years old = 217; 31-50 years old = 279; > 51 years old = 187). The medians of the responses in the 7-point Likert scale questions (1: strongly disagree ... 7: strongly agree), along with their interquartile range (IQR) are presented.

Statements	Age groups	Median	IQR
All people should get the usual vaccines	13-30 years old	6	2
	31-50 years old	7	1
	> 51 years old	7	1
Vaccines are important to my protection	13-30 years old	6	2
	31-50 years old	7	1
	> 51 years old	6	1
Vaccines are rigorously tested before they are approved for use	13-30 years old	5	2
	31-50 years old	6	1
	> 51 years old	6	1
Vaccines are important for children	13-30 years old	6	2
	31-50 years old	6	1
	> 51 years old	6	1
Vaccines are important for vulnerable groups	13-30 years old	6	2
	31-50 years old	6	1
	> 51 years old	6	1

^{© 2022} Skarpa P. E. and Garoufallou E.