

Suppl. Table 1. Cut-offs for burnout risk for the three dimensions of Maslach Burnout Inventory (MBI) score, Greece,2021 (N=236) *

MBI dimension	Low Risk	Moderate Risk	High Risk
Emotional Exhaustion (EA)	≤ 20	21-30	≥ 31
Depersonalization (DE)	≤ 5	6-10	≥ 11
Personal Accomplishment (PA)	≥ 42	36-41	≤ 35

**A total of 236 primary healthcare professionals participated in this cross-sectional study. Data collection took place in Greece from the beginning of June 2021 to the end of October 2021.*

Suppl. Material Table 2. Participants' demographic and working characteristics, Greece, 2021 (N=236) *

Gender	n	%	Occupation	n	%
Men	65	28.6	General Practitioners	92	38.9
Women	162	71.4	Internists	7	2.9
Age (years)	n	%	Pediatricians	2	0.8
20-29	15	6.3	Microbiologists	2	0.8
30-39	38	16.1	Dentists	3	1.3
40-49	90	38.1	Nursing Staff	83	35.2
≥ 50	93	39.4	Health visitors	10	4.2
Professional Experience (years)	n	%	Administrative staff	11	4.7
1-5	53	22.4	Paramedics/ Ambulance Crew	3	1.3
6-10	33	14.0	Laboratory technicians	4	1.7
11-15	43	18.2	Midwives	6	2.5
16-20	45	19.1	Nutritionists	3	1.3
>20	62	26.3	Physiotherapists	1	0.4
Education	n	%	Social workers	1	0.4
High School graduate	36	15.3	Social Attributes	n	%
Bachelor degree	137	58.0	Living with at least one child	161	69.1
Postgrad. degree(MSc, PhD)	63	26.7	Living with a high-risk person	80	34.3
Type of Facility	n	%	Belonging in a high-risk group	36	15.5
Health Center/ Group Practice	181	77.7	COVID-19 Personal Experience and Health Condition	n	%
Local Health Unit (Small Urban Group Practice)	13	5.6	Having a colleague admitted for COVID-19/ deceased from COVID-19	86	36.9
Solo Medical Practice*	39	16.7			
Facility Location	n	%	Having a relative/ friend admitted for /deceased from COVID-19	129	55.4
Urban	64	27.1	Vaccinated	209	89.7
Semi-urban	87	36.9	Contracted SARS-CoV-2	36	15.5
Rural	85	36.0			

* Solo Medical Practices; practices attached to Health Centers

*A total of 236 primary healthcare professionals participated in this cross-sectional study. Data collection took place in Greece from the beginning of June 2021 to the end of October 2021.

Suppl. Material Table 3: Burnout risk per Maslach Burnout Inventory (MBI) dimension, Greece, 2021 (N=236) *

<i>MBI dimension</i>	Low Risk	Moderate Risk	High Risk	Mean (SD)	Range
Emotional Exhaustion (EA)	128 (54.2%)	53 (22.5%)	55 (23.3%)	20.8 (13.0)	0-54
Depersonalization (DE)	110 (46.6%)	56 (23.7%)	70 (29.7%)	7.5 (7.0)	0-30
Personal Accomplishment (PA)	51 (21.6%)	75 (31.8%)	110 (46.6%)	33.8 (10.0)	0-48

**A total of 236 primary healthcare professionals participated in this cross-sectional study. Data collection took place in Greece from the beginning of June 2021 to the end of October 2021.*